Volume 44 • 2003

International Journal of Geosciences

# Environmental Geology


## Editors

PHILIP E. LAMOREAUX
Editor-in-Chief

GUNTER DÖRHÖFER
Editor for Europe

## Editorial board

ROBERT C. AHLERT
ROBERT ALDWELL
DONALD JOE BENSON
PAOLO BONO
ANDREAS DAHMKE
YUAN DAOXIAN
JAN DOWGIALLO
DAVID DREW
DAYLE EASLEY
JOHN C. GOSSE
THOMAS GREEN
GRANT GROSS
JOHN GUNN
LARS HAKANSON
TRAVIS L. HUDSON
HUSSEIN IDRIS
KENNETH S. JOHNSON
URI KAFRI
DAVID M. KARGBO
VLADIMIR KOVALEVSKY
JAMES W. LAMOREAUX
LUDWIG LUCKNER
GWENDOLYN L. MACPHERSON
NOPADON MANTAJIT
WILLIAM F. MARCUSON
PAUL MARINOS
JÖRG MATSCHULLAT
BASHIR A. MEMON
PETAR MILANOVIC
JOHN E. MOORE
ASAF PEKDEGER
LADISLAUS RYBACH
CHRISTOPH SCHÖTH
ED L. SCHRADER
HORST D. SCHULZ
S. FRED SINGER
DAVID STEPHENSON
STEPHEN H. STOW
JAN VLCKO
HUBERT WIGGERING
SOKI YAMAMOTO
WANFANG ZHOU

Absar A → Umar R
Abu-Jaber N, Ismail M: Hydrogeochemical modeling of the shallow groundwater in the northern Jordan Valley 391
Abu-Taleb MF: Recharge of groundwater through multi-stage reservoirs in a desert basin 379
Adams AL → Zhou W
Afşin M → Elhatip H
Ahmed S, Carpenter PJ: Geophysical response of filled sinkholes, soil pipes and associated bedrock fractures in thinly mantled karst, east-central Illinois 705
Ahn CH → Lee SM
Ainchil J → Kruse E
Akgün H: Remediation of the geotechnical problems of the Hasankeyf historical area, southeastern Turkey 522
Al-Asheh S, Banat F, Masad A: Physical and chemical activation of pyrolyzed oil shale residue for the adsorption of phenol from aqueous solutions 333
Al-Mikhlafi AS, Das BK, Kaur P: Water chemistry of Mansar Lake (India): an indication of source area weathering and seasonal variability 645
Almendro-Candel MB → Navarro-Pedreño J
Anish M → Sobha V

Bachu S: Screening and ranking of sedimentary basins for sequestration of $CO_2$ in geological media in response to climate change 277
Baldwin S → Lussier C
Banat F → Al-Asheh S
Beck BF → Zhou W
Bird DA: Characterization of anthropogenic and natural sources of acid rock drainage at the Cinnamon Gulch abandoned mine land inventory site, Summit County, Colorado 919
Bittencourt AVL → Rebelo AMA
Bodhankar N: Application of vectors for suitability of landforms in siting surface water harvesting structures 176
Bonotto DM → Conceição FT
Borba RP, Figueiredo BR, Matschullat J: Geochemical distribution of arsenic in waters, sediments and weathered gold mineralized rocks from Iron Quadrangle, Brazil 39

Calcaterra D → de Gennaro R
Calvert DV → Zhang MK
Carpenter PJ → Ahmed S
Carranza Edwards A → Rosales Hoz L
Carvajal Romero P → Rosales Hoz L
Casas JM, Rosas H, Solé M, Lao C: Heavy metals and metalloids in sediments from the Llobregat basin, Spain 325
Çevik E, Topal T: GIS-based landslide susceptibility mapping for a problematic segment of the natural gas pipeline, Hendek (Turkey) 949
Chang HW → Kim JH
Chaudhuri D, Tripathy S, Veeresh H, Powell MA, Hart BR: Mobility and bioavailability of selected heavy metals in coal ash- and sewage sludge-amended acid soil 419
Chaudhuri D → Veeresh H
Chen JY, Tang CY, Shen YJ, Sakura Y, Kondoh A, Shimada J: Use of water balance calculation and tritium to examine the dropdown of groundwater table in the piedmont of the North China Plain (NCP) 564
Chen W-F, Liu T-K: Dissolved oxygen and nitrate of groundwater in Choshui Fan-Delta, western Taiwan 731
Chen W-P, Lee C-H: Estimating ground-water recharge from streamflow records 257
Colvin C → Mackintosh G
Conceição FT, Bonotto DM: Use of U-isotope disequilibrium to evaluate the weathering rate and fertilizer-derived uranium in São Paulo state, Brazil 408
Cooke DR → Gilbert SE
Cremer N → Wisotzky F
Cruz JV: Groundwater and volcanoes: examples from the Azores archipelago 343

Damigos D, Kaliampakos D: Environmental Economics and the Mining Industry: Monetary benefits of an abandoned quarry rehabilitation in Greece 356
Das BK, Dhiman SC: Water and sediment chemistry of Higher Himalayan lakes in the Spiti Valley: control on weathering, provenance and tectonic setting of the basin 717
Das BK → Al-Mikhlafi AS
Dassargues A → Gogu RC
Davraz A, Karaguzel R, Soyaslan II: The importance of hydro-geological and hydrological investigations in the residential area: a case study in Burdur, Turkey 852
Dawes L, Goonetilleke A: An Investigation into the role of site and soil characteristics in onsite sewage treatment 467
de Gennaro M → de Gennaro R
de Gennaro R, Calcaterra D, Di Girolamo P, Langella A, de Gennaro M: Discovering the stone heritage of southern Italy: technical properties of the Mondragone marble from Campania region 266
Devoli G → Menéndez-Duarte R
Dhiman SC → Das BK
Di Girolamo P → de Gennaro R
Dimitriou E → Zacharias I
Ding Y → Wang G
Dirik K → Elhatip H
Djabri L, Hani A, Laouar R, Mania J, Mudry J, Louhi A: Potential pollution of groundwater in the valley of the Seybouse River, north-eastern Algeria 738
Dongarrà G → Varrica D
Donohue I, Duck RW, Irvine K: Land use, sediment loads and dispersal pathways from two catchments at the southern end of Lake Tanganyika, Africa: implications for lake management 448
Doyuran V → Karahanoglu N
Duck RW → Donohue I

Ebraheem AM, Garamoon HK, Riad S, Wycisk P, Seif El Nasr AM: Numerical modeling of groundwater resource management options in the East Oweinat area, SW Egypt 433
Edet AE, Merkel BJ, Offiong OE: Trace element hydrochemical assessment of the Calabar Coastal Plain Aquifer, southeastern Nigeria using statistical methods 137
Elhatip H, Afşin M, Kuşçu l, Dirik K, Kurmaç Y, Kavurmacı M: Influences of human activities and agriculture on groundwater quality of Kayseri-Incesu-Dokuzpınar springs, central Anatolian part of Turkey 490
Erguler ZA, Ulusay R: Engineering characteristics and environmental impacts of the expansive Ankara Clay, and swelling maps for SW and central parts of the Ankara (Turkey) metropolitan area 979
Esaki T → Zhou G

Fakayode SO, Olu-Owolabi BI: Heavy metal contamination of roadside topsoil in Osogbo, Nigeria: its relationship to traffic density and proximity to highways 150

Fang WX, Huang ZY, Wu PW: Contamination of the environmental ecosystems by trace elements from mining activities of Badao bone coal mine in China 373
Faye A → Faye S
Faye S, Faye SC, Ndoye S, Faye A: Hydrogeochemistry of the Saloum (Senegal) superficial coastal aquifer 127
Faye SC → Faye S
Ferrier G → Splajt T
Field MS: A review of some tracer-test design equations for tracer-mass estimation and sample-collection frequency 240
Figueiredo BR → Borba RP
Fischer RA → Sidle WC
Flores RM → Iturbe R
Foos A: Spatial distribution of road salt contamination of natural springs and seeps, Cuyahoga Falls, Ohio, USA 14
Frostick LE → Splajt T

Gao Q → Zu R
Garamoon HK → Ebraheem AM
García-Sánchez E → Navarro-Pedreño J
Gaus I, Kinniburgh DG, Talbot JC, Webster R: Geostatistical analysis of arsenic concentration in groundwater in Bangladesh using disjunctive kriging 939
Genereux DP: Comparison of methods for estimation of 50-year peak discharge from a small, rural watershed in North Carolina 53
Gilbert SE, Cooke DR, Hollings P: The effects of hardpan layers on the water chemistry from the leaching of pyrrhotite-rich tailings material 687
Gogu RC, Hallet V, Dassargues A: Comparison of aquifer vulnerability assessment techniques. Application to the Néblon river basin (Belgium) 881
Goonetilleke A → Dawes L
Green TS → Zhou W

Hallet V → Gogu RC
Han Z: Groundwater resources protection and aquifer recovery in China 106
Hani A → Djabri L
Harbert W → Sasowsky ID
Hart BR → Chaudhuri D
Hart BR → Veeresh H
Hatje V: Particulate trace metal and major element distributions over consecutive tidal cycles in Port Jackson Estuary, Australia 231
He ZL → Zhang MK
Hollings P → Gilbert SE
Hong G-T → Jang Y-S
Hong W-P → Song Y-S
Huang ZY → Fang WX

Irvine K → Donohue I
Ismail M → Abu-Jaber N
Iturbe R, Flores RM, Torres LG: Subsoil contaminated by hydrocarbons in an out-of-service oil distribution and storage station in Zacatecas, Mexico 608

Jain SC → Saxena VK
James AR → Swart CJU
Jang Y-S, Hong G-T: An experimental study on diffusion characteristics of hardened liner materials to inorganic chemicals 599
Jang Y-S, Kim Y-I: Behavior of a municipal landfill from field measurement data during a waste-disposal period 592
Jankowski J → Schofield S
Jordán-Vidal MM → Navarro-Pedreño J
Joshi BK, Kothyari BP: Chemistry of perennial springs of Bhetagad watershed: a case study from central Himalayas, India 572
Jubeli Y → Takriti S

Kaliampakos D → Damigos D
Kang W-J, Trefry JH: Retrospective analysis of the impacts of major hurricanes on sediments in the lower Everglades and Florida Bay 771
Karaguzel R → Davraz A
Karahanoglu N, Doyuran V: Finite element simulation of seawater intrusion into a quarry-site coastal aquifer, Kocaeli-Darıca, Turkey 456
Kaur P → Al-Mikhlafi AS
Kavurmacı M → Elhatip H
Keimel T → Kralik M
Kim JH, Kim RH, Lee J, Chang HW: Hydrogeochemical characterization of major factors affecting the quality of shallow groundwater in the coastal area at Kimje in South Korea 478
Kim RH → Kim JH
Kim T-H → Song Y-S
Kim Y-I → Jang Y-S
Kim YJ → Lee SM
Kinniburgh DG → Gaus I
Kleywegt RJ → Swart CJU
Kondoh A → Chen JY
Kordík J → Rapant S
Kothyari BP → Joshi BK
Koussouris T → Zacharias I
Kowalczyk A → Witkowski AJ
Krčmář B, Vylitá T: Answer to Rebuttal to "Unfilterable 'geoaerosols', their use in a search for thermal, mineral and mineralised waters and their possible influence on the origin of certain types of mineral waters" by RF Holub, PK Smrz, published in Environmental Geology (2002) 41:984–985 119
Kralik M, Keimel T: Time-input, an innovative groundwater-vulnerability assessment scheme: application to an alpine test site 679
Kruse E, Ainchil J: Fluoride variations in groundwater of an area in Buenos Aires Province, Argentina 86
Kuşçu I → Elhatip H
Kurmaç Y → Elhatip H

Lai Y → Wang G
Langella A → de Gennaro R
Lao C → Casas JM
Laouar R → Djabri L
Lee C-H → Chen W-P
Lee CH: Assessment of contamination load on water, soil and sediment affected by the Kongjujeil mine drainage, Republic of Korea 501
Lee CH → Lee JY
Lee J → Kim JH
Lee JY, Lee CH, Lee KK: Evaluation of remedial alternatives for a petroleum contaminated unconfined aquifer with fluctuating groundwater level 968
Lee KK → Lee JY
Lee M-J → Lee S
Lee S, Ryu J-H, Lee M-J, Won J-S: Use of an artificial neural network for analysis of the susceptibility to landslides at Boun, Korea 820
Lee S: Evaluation of waste disposal site using the DRASTIC system in Southern Korea 654

Lee SM, Min KD, Woo NC, Kim YJ, Ahn CH: Statistical models for the assessment of nitrate contamination in urban groundwater using GIS 210
Li Q → Liu Z
Lin Y-P → Tung C-P
Linn F, Masie M, Rana A: The impacts on groundwater development on shallow aquifers in the lower Okavango Delta, northwestern Botswana 112
Liu T-K → Chen W-F
Liu Z, Zhang M, Li Q, You S: Hydrochemical and isotope characteristics of spring water and travertine in the Baishuitai area (SW China) and their meaning for paleoenvironmental reconstruction 698
Louhi A → Djabri L
Lussier C, Veiga V, Baldwin S: The geochemistry of selenium associated with coal waste in the Elk River Valley, Canada 905

Machida I → Tang C
Mackintosh G, Colvin C: Failure of rural schemes in South Africa to provide potable water 101
Mandal A, Sengupta D: Radioelemental study of Kolaghat, thermal power plant, West Bengal, India: possible environmental hazards 180
Mania J → Djabri L
Mantovani LE → Rebelo AMA
Marquínez J → Menéndez-Duarte R
Masad A → Al-Asheh S
Masie M → Linn F
Mataix-Solera J → Navarro-Pedreño J
Matschullat J → Borba RP
Menéndez-Duarte R, Marquínez J, Devoli G: Slope instability in Nicaragua triggered by Hurricane Mitch: distribution of shallow mass movements 290
Mendez Jaime C → Rosales Hoz L
Merkel BJ → Edet AE
Min KD → Lee SM
Molina L, Sánchez–Martos F, Pulido–Bosch A, Vallejos A: Origin of boron from a complex aquifer in southeast of Spain 301
Mondal NC → Saxena VK
Monna F → Varrica D
Moore JE: IAH Congress in Cape Town, South Africa – Groundwater: past achievements and future challenges 85
Mori J → Zhou G
Mudry J → Djabri L

Navarro-Pedreño J, Almendro-Candel MB, Jordán-Vidal MM, Mataix-Solera J, García-Sánchez E: Mobility of cadmium, chromium and nickel through the profile of a calcisol treated with sewage sludge in the southeast of Spain 545
Ndoye S → Faye S

Offiong OE → Edet AE
Olu-Owolabi BI → Fakayode SO

Palchik V: Formation of fractured zones in overburden due to longwall mining 28
Parise M, Pascali V: Surface and subsurface environmental degradation in the karst of Apulia (southern Italy) 247
Pascali V → Parise M
Powell MA → Veeresh H
Powell MA → Chaudhuri D
Pulido–Bosch A → Molina L

Qiang M → Zu R
Qu J → Zu R

Różkowski A → Witkowski AJ
Rana A → Linn F
Rapant S, Kordík J: An environmental risk assessment map of the Slovak Republic: application of data from geochemical atlases 400
Rebelo AMA, Bittencourt AVL, Mantovani LE, Rossi TB: Pedogeochemical models on prognosis and control of radon fluxes from humid tropical landscapes over granite 158
Reddy BR → Sujatha D
Riad S → Ebraheem AM
Rosales Hoz L, Carranza Edwards A, Carvajal Romero P, Mendez Jaime C, Ruiz Santoyo ME: Physico-chemical seasonal variability of a tropical estuary: major and minor elements in water and air 790
Rosas H → Casas JM
Rossi TB → Rebelo AMA
Rubin K → Witkowski AJ
Ruiz Santoyo ME → Rosales Hoz L
Ryu J-H → Lee S

Sánchez–Martos F → Molina L
Sabatino G → Varrica D
Sakura Y → Tang C
Sakura Y → Chen JY
Sasowsky ID, Šebela S, Harbert W: Concurrent tectonism and aquifer evolution >100,000 years recorded in cave sediments, Dinaric karst, Slovenia 8
Saxena VK, Singh VS, Mondal NC, Jain SC: Use of hydrochemical parameters for the identification of fresh groundwater resources, Potharlanka Island, India 516
Schnabel U, Tietje O: Explorative data analysis of heavy metal contaminated soil using multidimensional spatial regression 893
Schofield S, Jankowski J: The hydrogeology of the Ballimore region, central New South Wales, Australia: an integrated study 90
Šebela S → Sasowsky ID
Seif El Nasr AM → Ebraheem AM
Sengupta D → Mandal A
Shen Y → Wang G
Shen YJ → Chen JY
Shimada J → Chen JY
Shindo S → Tang C
Sidle WC, Fischer RA: Detection of $^{3}H$ and $^{85}Kr$ in groundwater from arsenic-bearing crystalline bedrock of the Goose River basin, Maine 781
Sime PL → Zhang MK
Singh KKK: Ground penetrating radar study for hydrogeological conditions related with mining activity 20
Singh VS → Saxena VK
Sobha V, Anish M: Imprints of environmental pollution on laterite/clay and groundwater of Eloor-Kalamassery Industrial Belt, Kerala State, India 914
Solé M → Casas JM
Song Y-S, Yun J-M, Hong W-P, Kim T-H: Investigation of solid waste soil as road construction material 203
Sonmez H: Modification of the liquefaction potential index and liquefaction susceptibility mapping for a liquefaction-prone area (Inegol, Turkey) 862
Soyaslan II → Davraz A

Splajt T, Ferrier G, Frostick LE: Application of ground penetrating radar in mapping and monitoring landfill sites 963
Stoch EJ → Swart CJU
Stoffella PJ → Zhang MK
Sujatha D: Fluoride levels in the groundwater of the south-eastern part of Ranga Reddy district, Andhra Pradesh, India 587
Sujatha D, Reddy BR: Quality characterization of groundwater in the south-eastern part of the Ranga Reddy district, Andhra Pradesh, India 579
Sultan K: Geochemical and Sr-isotopic characteristics of stream and spring waters from small-forested catchments at Seto, central Japan 308
Swart CJU, James AR, Kleywegt RJ, Stoch EJ: The future of the dolomitic springs after mine closure on the Far West Rand, Gauteng, RSA 751

Takriti S, Jubeli Y: Characterization and disequilibrium cases of radioelements in some Syrian hot waters 78
Talbot JC → Gaus I
Tang C, Shindo S, Sakura Y, Machida I: A possibility for tracing infiltration fronts by temperature in sand dunes: an experimental study 169
Tang C-C → Tung C-P
Tang CY → Chen JY
Tietje O → Schnabel U
Topal T → Çevik E
Torres LG → Iturbe R
Trefry JH → Kang W-J
Tripathy S → Chaudhuri D
Tripathy S → Veeresh H
Tung C-P, Tang C-C, Lin Y-P: Improving groundwater-flow modeling using optimal zoning methods 627

Ulusay R → Erguler ZA
Umar R, Absar A: Chemical characteristics of groundwater in parts of the Gambhir River basin, Bharatpur District, Rajasthan, India 535

Vallejos A → Molina L
van der Aa M: Classification of mineral water types and comparison with drinking water standards 554
Varrica D, Dongarrà G, Sabatino G, Monna F: Inorganic geochemistry of roadway dust from the metropolitan area of Palermo, Italy 222
Veeresh H → Chaudhuri D
Veeresh H, Tripathy S, Chaudhuri D, Hart BR, Powell MA: Competitive adsorption behavior of selected heavy metals in three soil types of India amended with fly ash and sewage sludge 363
Veiga V → Lussier C
Vylitá T → Krčmář B

Wang G, Ding Y, Shen Y, Lai Y: Environmental degradation in the Hexi Corridor region of China over the last 50 years and comprehensive mitigation and rehabilitation strategies 68
Webster R → Gaus I
Williams HFL: Urbanization pressure increases potential for soils-related hazards, Denton County, Texas 933
Wisotzky F, Cremer N: Sequential extraction procedure in columns. Part 1: Development and description of a new method 799
Wisotzky F, Cremer N: Sequential extraction procedure in columns. Part 2: Application of a new method 805
Witkowski AJ, Rubin K, Kowalczyk A, Rózkowski A, Wróbel J: Groundwater vulnerability map of the Chrzanów karst-fissured Triassic aquifer (Poland) 59
Won J-S → Lee S
Woo NC → Lee SM
Wróbel J → Witkowski AJ
Wu PW → Fang WX
Wu Y: Mechanism analysis of hazards caused by the interaction between groundwater and geo-environment 811
Wycisk P → Ebraheem AM

Xia B → Zhang L

Yang X → Zhang MK
You S → Liu Z
Yue L → Zhang L
Yun J-M → Song Y-S

Zacharias I, Dimitriou E, Koussouris T: Estimating groundwater discharge into a lake through underwater springs by using GIS technologies 843
Zhang L, Yue L, Xia B: The study of land desertification in transitional zones between the MU US Desert and the Loess Plateau using RS and GIS – a case study of the Yulin region 530
Zhang M → Liu Z
Zhang MK, He ZL, Stoffella PJ, Calvert DV, Yang X, Sime PL: Concentrations and solubility of heavy metals in muck sediments from the St. Lucie Estuary, USA 1
Zhou G, Esaki T, Mori J: GIS-based spatial and temporal prediction system development for regional land subsidence hazard mitigation 665
Zhou W, Beck BF, Adams AL: Application of matrix analysis in delineating sinkhole risk areas along highway (I-70 near Frederick, Maryland) 834
Zhou W, Beck BF, Green TS: Evaluation of a peat filtration system for treating highway runoff in a karst setting 187
Zu R, Gao Q, Qu J, Qiang M: Environmental changes of oases at southern margin of Tarim Basin, China 639

## Regular Issues

## Original articles

A possibility for tracing infiltration fronts by temperature in sand dunes: an experimental study: Tang C, Shindo S, Sakura Y, Machida I 169
An environmental risk assessment map of the Slovak Republic: application of data from geochemical atlases: Rapant S, Kordík J 400
An experimental study on diffusion characteristics of hardened liner materials to inorganic chemicals: Jang Y-S, Hong G-T 599
An Investigation into the role of site and soil characteristics in onsite sewage treatment: Dawes L, Goonetilleke A 467
Application of ground penetrating radar in mapping and monitoring landfill sites: Splajt T, Ferrier G, Frostick LE 963
Application of matrix analysis in delineating sinkhole risk areas along highway (I-70 near Frederick, Maryland): Zhou W, Beck BF, Adams AL 834
Application of vectors for suitability of landforms in siting surface water harvesting structures: Bodhankar N 176
Assessment of contamination load on water, soil and sediment affected by the Kongjujeil mine drainage, Republic of Korea: Lee CH 501
Behavior of a municipal landfill from field measurement data during a waste-disposal period: Jang Y-S, Kim Y-I 592
Characterization and disequilibrium cases of radioelements in some Syrian hot waters: Takriti S, Jubeli Y 78
Characterization of anthropogenic and natural sources of acid rock drainage at the Cinnamon Gulch abandoned mine land inventory site, Summit County, Colorado: Bird DA 919
Chemical characteristics of groundwater in parts of the Gambhir River basin, Bharatpur District, Rajasthan, India: Umar R, Absar A 535
Chemistry of perennial springs of Bhetagad watershed: a case study from central Himalayas, India: Joshi BK, Kothyari BP 572
Classification of mineral water types and comparison with drinking water standards: van der Aa M 554
Comparison of aquifer vulnerability assessment techniques. Application to the Néblon river basin (Belgium): Gogu RC, Hallet V, Dassargues A 881
Comparison of methods for estimation of 50-year peak discharge from a small, rural watershed in North Carolina: Genereux DP 53
Competitive adsorption behavior of selected heavy metals in three soil types of India amended with fly ash and sewage sludge: Veeresh H, Tripathy S, Chaudhuri D, Hart BR, Powell MA 363
Concentrations and solubility of heavy metals in muck sediments from the St. Lucie Estuary, USA: Zhang MK, He ZL, Stoffella PJ, Calvert DV, Yang X, Sime PL 1
Concurrent tectonism and aquifer evolution >100,000 years recorded in cave sediments, Dinaric karst, Slovenia: Sasowsky ID, Šebela S, Harbert W 8
Contamination of the environmental ecosystems by trace elements from mining activities of Badao bone coal mine in China: Fang WX, Huang ZY, Wu PW 373
Detection of $^{3}H$ and $^{85}Kr$ in groundwater from arsenic-bearing crystalline bedrock of the Goose River basin, Maine: Sidle WC, Fischer RA 781
Discovering the stone heritage of southern Italy: technical properties of the Mondragone marble from Campania region: de Gennaro R, Calcaterra D, Di Girolamo P, Langella A, de Gennaro M 266
Dissolved oxygen and nitrate of groundwater in Choshui Fan-Delta, western Taiwan: Chen W-F, Liu T-K 731
Engineering characteristics and environmental impacts of the expansive Ankara Clay, and swelling maps for SW and central parts of the Ankara (Turkey) metropolitan area: Erguler ZA, Ulusay R 979
Environmental changes of oases at southern margin of Tarim Basin, China: Zu R, Gao Q, Qu J, Qiang M 639
Environmental degradation in the Hexi Corridor region of China over the last 50 years and comprehensive mitigation and rehabilitation strategies: Wang G, Ding Y, Shen Y, Lai Y 68
Environmental Economics and the Mining Industry: Monetary benefits of an abandoned quarry rehabilitation in Greece: Damigos D, Kaliampakos D 356
Estimating groundwater discharge into a lake through underwater springs by using GIS technologies: Zacharias I, Dimitriou E, Koussouris T 843
Estimating ground-water recharge from streamflow records: Chen W-P, Lee C-H 257
Evaluation of a peat filtration system for treating highway runoff in a karst setting: Zhou W, Beck BF, Green TS 187
Evaluation of remedial alternatives for a petroleum contaminated unconfined aquifer with fluctuating groundwater level: Lee JY, Lee CH, Lee KK 968
Evaluation of waste disposal site using the DRASTIC system in Southern Korea: Lee S 654
Explorative data analysis of heavy metal contaminated soil using multidimensional spatial regression: Schnabel U, Tietje O 893
Finite element simulation of seawater intrusion into a quarry-site coastal aquifer, Kocaeli-Darıca, Turkey: Karahanoglu N, Doyuran V 456
Fluoride levels in the groundwater of the south-eastern part of Ranga Reddy district, Andhra Pradesh, India: Sujatha D 587
Formation of fractured zones in overburden due to longwall mining: Palchik V 28
Geochemical and Sr-isotopic characteristics of stream and spring waters from small-forested catchments at Seto, central Japan: Sultan K 308
Geochemical distribution of arsenic in waters, sediments and weathered gold mineralized rocks from Iron Quadrangle, Brazil: Borba RP, Figueiredo BR, Matschullat J 39
Geophysical response of filled sinkholes, soil pipes and associated bedrock fractures in thinly mantled karst, east-central Illinois: Ahmed S, Carpenter PJ 705
Geostatistical analysis of arsenic concentration in groundwater in Bangladesh using disjunctive kriging: Gaus I, Kinniburgh DG, Talbot TC, Webster R 939
GIS – based landslide susceptibility mapping for a problematic segment of the natural gas pipeline, Hendek (Turkey): Çevik E, Topal T 949
GIS-based spatial and temporal prediction system development for regional land subsidence hazard mitigation: Zhou G, Esaki T, Mori J 665
Ground penetrating radar study for hydrogeological conditions related with mining activity: Singh KKK 20
Groundwater and volcanoes: examples from the Azores archipelago: Cruz JV 343
Groundwater vulnerability map of the Chrzanów karst-fissured Triassic aquifer (Poland): Witkowski AJ, Rubin K, Kowalczyk A, Różkowski A, Wróbel J 59

Heavy metals and metalloids in sediments from the Llobregat basin, Spain: Casas JM, Rosas H, Solé M, Lao C 325
Heavy metal contamination of roadside topsoil in Osogbo, Nigeria: its relationship to traffic density and proximity to highways: Fakayode SO, Olu-Owolabi BI 150
Hydrochemical and isotope characteristics of spring water and travertine in the Baishuitai area (SW China) and their meaning for paleoenvironmental reconstruction: Liu Z, Zhang M, Li Q, You S 698
Hydrogeochemical characterization of major factors affecting the quality of shallow groundwater in the coastal area at Kimje in South Korea: Kim JH, Kim RH, Lee J, Chang HW 478
Hydrogeochemical modeling of the shallow groundwater in the northern Jordan Valley: Abu-Jaber N, Ismail M 391
Hydrogeochemistry of the Saloum (Senegal) superficial coastal aquifer: Faye S, Faye SC, Ndoye S, Faye A 127
Imprints of environmental pollution on laterite/clay and groundwater of Eloor-Kalamassery Industrial Belt, Kerala State, India: Sobha V, Anish M 914
Improving groundwater-flow modeling using optimal zoning methods: Tung C-P, Tang C-C, Lin Y-P 627
Influences of human activities and agriculture on groundwater quality of Kayseri-Incesu-Dokuzpınar springs, central Anatolian part of Turkey: Elhatip H, Afşin M, Kuşçu I, Dirik K, Kurmaç Y, Kavurmacı M 490
Inorganic geochemistry of roadway dust from the metropolitan area of Palermo, Italy: Varrica D, Dongarrà G, Sabatino G, Monna F 222
Investigation of solid waste soil as road construction material: Song Y-S, Yun J-M, Hong W-P, Kim T-H 203
Land use, sediment loads and dispersal pathways from two catchments at the southern end of Lake Tanganyika, Africa: implications for lake management: Donohue I, Duck RW, Irvine K 448
Mechanism analysis of hazards caused by the interaction between groundwater and geo-environment: Wu Y 811
Mobility of cadmium, chromium and nickel through the profile of a calcisol treated with sevage sludge in the southeast of Spain: Navarro-Pedreño J, Almendro-Candel MB, Jordan-Vidal MM, Mataix-Soleraj, Garcia-Sánchez E 545
Mobility and bioavailability of selected heavy metals in coal ash- and sewage sludge-amended acid soil: Chaudhuri D, Tripathy S, Veeresh H, Powell MA, Hart BR 419
Modification of the liquefaction potential index and liquefaction susceptibility mapping for a liquefaction-prone area (Inegol, Turkey): Sonmez H 862
Numerical modeling of groundwater resource management options in the East Oweinat area, SW Egypt: Ebraheem AM, Garamoon HK, Riad S, Wycisk P, Seif El Nasr AM 433
Origin of boron from a complex aquifer in southeast of Spain: Molina L, Sánchez–Martos F, Pulido–Bosch A, Vallejos A 301
Particulate trace metal and major element distributions over consecutive tidal cycles in Port Jackson Estuary, Australia: Hatje V 231
Pedogeochemical models on prognosis and control of radon fluxes from humid tropical landscapes over granite: Rebelo AMA, Bittencourt AVL, Mantovani LE, Rossi TB 158
Physical and chemical activation of pyrolyzed oil shale residue for the adsorption of phenol from aqueous solutions: Al-Asheh S, Banat F, Masad A 333
Physico-chemical seasonal variability of a tropical estuary: major and minor elements in water and air: Rosales Hoz L, Carranza Edwards A, Carvajal Romero P, Mendez Jaime C, Ruiz Santoyo ME 790
Potential pollution of groundwater in the valley of the Seybouse River, north-eastern Algeria: Djabri L, Hani A, Laouar R, Mania J, Mudry J, Louhi A 738
Quality characterization of groundwater in the south-eastern part of the Ranga Reddy district, Andhra Pradesh, India: Sujatha D, Reddy BR 579
Radioelemental study of Kolaghat, thermal power plant, West Bengal, India: possible environmental hazards: Mandal A, Sengupta D 180
Remediation of the geotechnical problems of the Hasankeyf historical area, southeastern Turkey: Akgün H 522
Recharge of groundwater through multi-stage reservoirs in a desert basin: Abu-Taleb MF 379
Retrospective analysis of the impacts of major hurricanes on sediments in the lower Everglades and Florida Bay: Kang W-J, Trefry JH 771
Screening and ranking of sedimentary basins for sequestration of $CO_2$ in geological media in response to climate change: Bachu S 277
Sequential extraction procedure in columns. Part 2: Application of a new method: Wisotzky F, Cremer N 805
Sequential extraction procedure in columns. Part 1: Development and description of a new method: Wisotzky F, Cremer N 799
Slope instability in Nicaragua triggered by Hurricane Mitch: distribution of shallow mass movements: Menéndez-Duarte R, Marquínez J, Devoli G 290
Spatial distribution of road salt contamination of natural springs and seeps, Cuyahoga Falls, Ohio, USA: Foos A 14
Statistical models for the assessment of nitrate contamination in urban groundwater using GIS: Lee SM, Min KD, Woo NC, Kim YJ, Ahn CH 210
Subsoil contaminated by hydrocarbons in an out-of-service oil distribution and storage station in Zacatecas, Mexico: Iturbe R, Flores RM, Torres LG 608
Surface and subsurface environmental degradation in the karst of Apulia (southern Italy): Parise M, Pascali V 247
The effects of hardpan layers on the water chemistry from the leaching of pyrrhotite-rich tailings material: Gilbert SE, Cooke DR, Hollings P 687
The future of the dolomitic springs after mine closure on the Far West Rand, Gauteng, RSA: Swart CJU, James AR, Kleywegt RJ, Stoch EJ 751
The geochemistry of selenium associated with coal waste in the Elk River Valley, Canada: Lussier C, Veiga V, Baldwin S 905
The importance of hydrogeological and hydrological investigations in the residential area: a case study in Burdur, Turkey: Davraz A, Karaguzel R, Soyaslan II 852
The study of land desertification in transitional zones between the MU US Desert and the Loess Plateau using RS and GIS – a case study of the Yulin region: Zhang L, Yue L, Xia B 530
Time-input, an innovative groundwater-vulnerability assessment scheme: application to an alpine test site: Kralik M, Keimel T 679
Trace element hydrochemical assessment of the Calabar Coastal Plain Aquifer, southeastern Nigeria using statistical methods: Edet AE, Merkel BJ, Offiong OE 137
Urbanization pressure increases potential for soils-related hazards, Denton County, Texas: Williams HFL 933
Use of an artificial neural network for analysis of the susceptibility to landslides at Boun, Korea: Lee S, Ryu J-H, Lee M-J, Won J-S 820

Use of U-isotope disequilibrium to evaluate the weathering rate and fertilizer-derived uranium in São Paulo state, Brazil: Conceição FT, Bonotto DM 408
Use of hydrochemical parameters for the identification of fresh groundwater resources, Potharlanka Island, India: Saxena VK, Singh VS, Mondal NC, Jain SC 516
Use of water balance calculation and tritium to examine the dropdown of groundwater table in the piedmont of the North China Plain (NCP): Chen JY, Tang CY, Shen YJ, Sakura Y, Kondoh A, Shimada J 564
Water and sediment chemistry of Higher Himalayan lakes in the Spiti Valley: control on weathering, provenance and tectonic setting of the basin: Das BK, Dhiman SC 717
Water chemistry of Mansar Lake (India): an indication of source area weathering and seasonal variability: Al-Mikhlafi AS, Das BK, Kaur P 645

## Erratum

A review of some tracer – test design equations for tracer – mass estimation and sample – collection frequency: Field MS 240

## Views & News

121, 240, 495, 621, 745, 872, 993

## Book reviews

122, 242, 371, 496, 622, 746, 876, 994

## Events

123, 243, 497, 623, 748, 877, 996

## Special Topic: IAH congress in Cape Town, South Africa – Ground water: past achievements and future challenges

### Introduction

IAH Congress in Cape Town, South Africa – Groundwater: past achievements and future challenges: Moore JE 85

### Original articles

The hydrogeology of the Ballimore region, central New South Wales, Australia: an integrated study: Schofield S, Jankowski J 90
Fluoride variations in groundwater of an area in Buenos Aires Province, Argentina: Kruse E, Ainchil J 86
Failure of rural schemes in South Africa to provide potable water: Mackintosh G, Colvin C 101
Groundwater resources protection and aquifer recovery in China: Han Z 106
The impacts on groundwater development on shallow aquifers in the lower Okavango Delta, northwestern Botswana: Linn F, Masie M, Rana A 112

### Rebuttal

Answer to Rebuttal to "Unfilterable 'geoaerosols', their use in a search for thermal, mineral and mineralised waters and their possible influence on the origin of certain types of mineral waters" by RF Holub, PK Smrz, published in Environmental Geology (2002) 41:984–985: Krčmá B, Vylitá T 119